佩达 PEIDA Super
CEILING&PARTITION

Address : Unit 617, 6/F.,Fuying International Building,No.166 Changgang Road Central,Guangzhou,China
Postal Code : 510250
Tel : 86-20-6236 1215
Fax : 86-20-6236 1237
Mobile : 86-1358 0480 068
Website : www.gzpanda.cn
E-mail : sales@gzpanda.cn pandadecoration@gmail.com

公司地址：中国广东省广州市海珠区昌岗中路166号之三富盈国际大厦六楼617室
邮政编码：510250
电话：86-20-6236 1215
传真：86-20-6236 1237
手机：86-1358 0480 068
网址：www.gzpanda.cn
邮箱：sales@gzpanda.cn pandadecoration@gmail.com

PANDA

佩达 PEIDA Super
CEILING&PARTITION

广州佩达商贸发展有限公司
GUANGZHOU PANDA COMMERCIAL DEVELOPMENT CO.,LTD.

About Us



Guangzhou Panda Commercial Development Co., Ltd. is a professional enterprise producing indoor and outdoor metal aluminum ceiling including metal aluminum curtain board, special ceiling, galvanized iron keel, aluminum pressed veins board, honeycomb board and integrated ceiling system etc.

Our company has been established in 2007, after many years, it has been developed a classic industrial image and excellent reputation in metal aluminum ceiling industry. The Guangzhou Panda Commercial Development Co., Ltd. Occupies an area of 5066m^2 with modern automation production workshops and office building.

Many gifted engineering designers are employed in order to provide the integration if designing, producing, installing services for our customers. The ISO9001;2008 Quality Management System leads us to control the quality of all products, researching and developing the environmental friendly decorating materials.

"To perfect the technology to provide fast, accurate and satisfactory service" is our goal.

Company culture:
1)Quality Concept: Honest, Perfect
2)Management Philosophy: Excellent Employees, Model Enterprises
3)Service concept: unremitting pursuit of perfection
4)Marketing Concept: Quality creates brand, manages open market.
5)Competition Concept: A market without competitors is a market without a future. Respecting your opponent is protecting yourself
6)Corporate mission: promote healthy living and build green homes.
7)Corporate purpose: Environmental protectio

Certificate:









www.pandamanufacturer.com

Aluminum Ceiling



Lay-in Tiles Ceiling System..... 1

Clip-in Tiles Ceiling System..... 2

Combination Ceiling System..... 3

Hook-on Tile Ceiling System..... 4

Perforation..... 5~6

Factory Overview..... 7

www.pandamanufacturer.com

Lay-in Tiles Ceiling System

Lay in square ceilings are offered in a wide of sizes, with square, flush or reveal edge details for standard grid options. Lay-in ceilings are a simple, economical way to add a aluminum ceiling project.



方板明架天花安装示意图
Lay-in tile ceiling installation diagram

Size

	W、L(Surface)	W、L(Side)	H	D
Right- Angle	585*585	595*593	8	0.5-1.0
		598*598		
	585*585	598*598	10	
		603*603		
Bevel	585*585	595*595	13	
		603*603		
	575*575	595*595	11	



Beveled Edge panel



Right-angle square panel



www.pandamanufacturer.com

Clip-in Tiles Ceiling System

The Proven durability of Clip-in tile makes them to be a good selection for aluminum ceiling and wall applications. Our Clip-in system is a familiar, proven solution for the commercial trades.



方板暗架天花安装示意图
The installation of clip-in tile ceiling system

Size

W.L	D	H	REMARKS
300*300	0.45-0.8	20	Clip-in and Combination Clip-in
400*400			
500*500			
300*600			
600*600	0.6-1.2		
300*1200			
500*1200			
600*1200			



www.pandamanufacturer.com

Combination Ceiling System

The plate is combined with the surface to provide a strong three-dimensional effects, fully reflect the ever-changing style of aluminum ceiling.customers can make combinations freely according to their own hobby, to show different styles. The combined ceiling is applicable for hotel lobbies, airports, subway station, shopping malls and other places.



深井型组合板天花安装图
Deep-type combination ceiling installation diagram

Size

Combination1: 600*600mm, 600*100mm, 100*100mm

Combination2: 600*600mm, 600*150mm, 150*150mm

Combination1: 300*300mm, 300*100mm, 100*100mm



www.pandamanufacturer.com

Hook-on Tile Ceiling System

The smooth surface of hooked ceiling presents of fashion, leads to modern design inspiration. Delicate ceiling is smooth ans stable, can be assemble and dis-assembled manually without using any tools, it is easy. And insulation cotton can be fitted in to create perfect sound-absorbing function.



勾搭式天花安装图
Hook-on tile ceiling installation diagram

Standard Size

600*1200mm

Remark: Non-standard size be customized





www.pandamanufacturer.com

Aluminum Ceiling

Perforation


LX-01 Φ3孔对角拼花
LX-01 Φ3 Diagonal match


LX-02 Φ3孔拼花
LX-02 Φ3 Punching match


LX-03 Φ1.8孔
LX-03 Φ1.8 Punching


LX-04 Φ3孔拼花
LX-04 Φ3 Punching match


LX-05 Φ2.5孔拼花
LX-05 Φ2.5 punching match


LX-06 Φ2.5孔拼花
LX-06 Φ2.5 punching match


LX-07 Φ3孔 49格
LX-07 Φ3 49-gird match punching


LX-08 方井型
LX-08 Φ shaped aluminum plate


LX-09 Φ6全孔
LX-09 Φ6 punching


LX-10 Φ3孔25格
LX-10 Φ3 25-gord


LX-11 Φ3孔对角
LX-11 Φ3 diagonal match


LX-12 Φ4孔拼花
LX-12 Φ4 match punching


LX-13 Φ3孔大对角
LX-13 Φ3big diagonal


LX-14 Φ3孔拼花
LX-14 Φ3 match punching


LX-15 Φ3孔拼花
LX-15 Φ3 match punching


LX-16 Φ3孔拼花
LX-16 Φ3 match punching


LX-17 Φ3孔拼花
LX-17 Φ3 match punching


LX-18 Φ3孔正方太阳花
LX-18 Φ3 square sunflower


LX-19 Φ3孔拼花
LX-19 Φ3 match punching


LX-20 圆井型
LX-20 round aluminum plate


LX-21 Φ2.3孔直排
LX-21 Φ2.3 streight pile


LX-22 Φ3孔太阳花
LX-22 Φ3 sunflower


LX-23 Φ1.8孔正方对角
LX-23 Φ1.8 punching diagonal


LX-24 Φ1.8孔25格
LX-24 Φ1.8 25-gird punching


LX-25 Φ2.5孔拼花
LX-25 Φ2.5 match punching


LX-26 Φ3全孔
LX-26 Φ3 punching


LX-27 平板
LX-27 flat plate


LX-28 Φ3孔拼花
LX-28 Φ3 match punching


LX-29 Φ3孔太阳花
LX-29 Φ3 sunflower


LX-30 Φ3孔拼花
LX-30 Φ3 match punching


LX-32 Φ3孔正方对角
LX-32 Φ3 square-diagonal


LX-33 Φ2.5孔拼花
LX-33 Φ2.5 match punching

www.pandamanufacturer.com

Aluminum Ceiling


LX-34 Φ3孔拼花
LX-34 Φ3 match punching


LX-35 Φ10 全孔
LX-35 Φ10 punching


LX-36 方井四边冲孔 Φ3孔
LX-36 square well punching


LX-37 Φ3孔拼花
LX-37 Φ3 match punching


LX-38 Φ3孔拼花
LX-38 Φ3 match punching


LX-39 Φ3孔拼花
LX-39 Φ3 match punching


LX-40 方井壁中间孔Φ3孔
LX-40 Φ3 square-well punching


LX-41 小梅花
LX-41 small clove leaf punching


LX-42 圆井四边冲 Φ3孔
LX-42 Φ3 circular-well punching


LX-43 Φ1.8孔拼花18格
LX-43 Φ1.8-gird match punching


LX-44 满天星
LX-44 full-punching


LX-45 Φ1.8孔中方格
LX-45 Φ1.8 medium-square gird


LX-46 小圆点
LX-46 fall-punching


LX-47 平板跌级（明架）
LX-47 flat plate lay in


LX-48 Φ3孔对角跌级（明架）
LX-48 Φ3 diagonal lay in


LX-49 Φ3孔正对角跌级（明架）
LX-49 Φ3 square diagonal lay in


LX-102 凸棱形


LX-101 凸圆点
300x300mm 600x600mm


LX-84B 云板 300x300mm


LX-52 孔拼花
300x300mm


LX-53 风车叶
300x300mm


LX-54 Φ 3全孔
300x300mm


LX-55 太阳花
300x300mm


LX-56 中方格
300x300mm


LX-57 Φ1.8孔拼花18格
300x300mm


LX-58 小圆点
300x300mm


LX-59 小梅花
300x300mm


LX-60 方井型
300x300mm


LX-61 平板
300x300mm


LX-62 Φ1.8孔
300x300mm


LX-63 Φ3孔对角
300x300mm

www.pandamanufacturer.com

Factory Overview





















www.pandamanufacturer.com