PANDA

佩达 PEIDA Super
CEILING&PARTITION

Address : Unit 617, 6/F.,Fuying International Building,No.166 Changgang Road Central,Guangzhou,China
Postal Code : 510250
Tel : 86-20-6236 1215
Fax : 86-20-6236 1237
Mobile : 86-1358 0480 068
Website : www.gzpanda.cn
E-mail : sales@gzpanda.cn pandadecoration@gmail.com

公司地址：中国广东省广州市海珠区昌岗中路166号之三富盈国际大厦六楼617室
邮政编码：510250
电话：86-20-6236 1215
传真：86-20-6236 1237
手机：86-1358 0480 068
网址：www.gzpanda.cn
邮箱：sales@gzpanda.cn pandadecoration@gmail.com

佩达 PEIDA Super
CEILING&PARTITION

广州佩达商贸发展有限公司
GUANGZHOU PANDA COMMERCIAL DEVELOPMENT CO.,LTD.

佩达 PEIDA Super
CEILING&PARTITON

广州佩达商贸发展有限公司
GUANGZHOU PANDA COMMERCIAL DEVELOPMENT CO.,LTD.

Mineral Fiber Ceiling

About Us



Guangzhou Panda Commercial Development Co., Ltd. is a professional enterprise producing mineral fiber ceiling.

Our company has been established in 2007, after many years, it has been developed a classic industrial image and excellent reputation in mineral fiber ceiling industry. The Guangzhou Panda Commercial Development Co., Ltd. Occupies an area of 5066m^2 with modern automation production workshops and office building.

Many gifted engineering designers are employed in order to provide the integration if designing, producing, installing services for our customers. The ISO9001 Quality Management System leads us to control the quality of all products, researching and developing the environmental friendly decorating materials.

"To perfect the technology to provide fast, accurate and satisfactory service" is our goal.

Company culture:

1)Quality Concept: Honest, Perfect
2)Management Philosophy: Excellent Employees, Model Enterprises
3)Service concept: unremitting pursuit of perfection
4)Marketing Concept: Quality creates brand, manages open market.
5)Competition Concept: A market without competitors is a market without a future. Respecting your opponent is protecting yourself
6)Corporate mission: promote healthy living and build green homes.
7)Corporate purpose: Environmental protection

Certificate:



www.pandamanufacturer.com



Product Advantage.....1
Production Process.....1
Technical Parameters.....2
Specification 2
Models.....3~6
Accessories.....7
Installation.....8
Factory Overview.....9

www.pandamanufacturer.com


Mineral Fiber Ceiling


Product Advantage

- **Fire Resistance:** Being made from superfine slag fiber, the product has low contents of organic matter. It is the only one among similar products certified with incombustibility Class A standard and montiored by the National Quality Assurance Center for Fixed Extinguisher System and Fireproof Component.
- **Decoration:** With hundreds of specification, dozens of patterns as well as multiple suspension modes. It can produce good decorative effect with diversified artistic styles, give designers more options, and cater of different consumer groups.
- **Sound Absorption:** Being composed of superfine granular mineral fiber, the product has rich permeating micropores. It can effectively absorb sound wave, reduce reflested sound, thus improving quality of sound indoor and lowering noise.
- **Thermal insulation:** Mineral fiber decorative acoustic board outperforms other materials in thermal resistance value and thermal insulation capacity.



Production Process






Technical Parameters

Item	Unit	Standard Value	Test Value
Material	/	/	Wet-Formed Mineral Fiber
Surface Finish	/	/	Factory-Applied Vinyl Latex Paint
Density	Kg/m^3	≤500	280-320
Water Content	%	≤3	1
Moisture Deflection	mm	≤3.5	2.8-0.8(thickness 12- 18mm)
Thermal Conductivity	W/m.k	≤0.065	0.0475
NRC	J/	/	0.48-0.66
Flexural Strength	N	≥50	196
Ceiling Articulation Class（CAC)	dB	/	Minimum30
Light Reflectance	/	/	Minimum LR0.8
Incombustibility	Class	GB6566-2001 Class A	GB6566-2001 Class A
RH Performance	Relative Humidity up to 80%-90%		

Specification


Standard Size: 600*600mm, 600*1200mm
Thickness: 12-18mm
Edge: Square, Tegular, Concealed, Overlap



www.pandamanufacturer.com

MODELS

Fine Fissured And Random Holes




PD1 PD2



PD5 PD6



PD3 PD4




PD7 PD8

www.pandamanufacturer.com



PD9




PD10



PD13



PD14



PD11



PD12



www.pandamanufacturer.com


PD15



PD16


PD19


PD20


PD17


PD18


PD21


PD22

www.pandamanufacturer.com


SAND BLASTED



YS



YS-1



EXCELLENCE


M-E1



M-E2


M-E3


M-E4

www.pandamanufacturer.com

ACCESSORIES



Ceiling T-Grid




Main Runner



Connector



38 Main Carrier Bracket



Thread Rod



Nut



Screw




Sleeve Anchor




Asjustable Hook Rod

www.pandamanufacturer.com


Installation







Sectional Drawing Sketch Drawing for Opening



www.pandamanufacturer.com

Factory Overview














www.pandamanufacturer.com